



HN-U SERIES

電木射出機

Thermosetting Injection Molding Machine

優異特點 Specific Features



- **新式調模機構**

調模機構與調模壁採整體式設計，使四支大柱受力均勻，鎖模力調整簡易準確。

- **New Mold Adjusting Mechanism**

The new mold adjusting platen mechanism design doesn't require its mounted nut for torque tuning and distributes force evenly on the tie bars.



- **無給油軸承**

曲肘及車壁活動部位均採用無給油軸承，減少潤滑油使用，降低保養成本並可減少油污，提升機台清潔度。

- **Oil-less Bearing**

Oil-less bearing on the moving parts of platen and toggle, greatly reduces maintenance cost, and provides for a cleaner production environment.



- **自動潤滑系統**

循環式電動注油系統，油量分配平均，潤滑效率高，增長曲肘壽命。

- **Automatic Lubrication System**

An automatic lubrication system circulates and distributes oil equally for greater efficiency in lubrication and enhanced toggle life.



● 全新網路型微電腦控制器

全新網路型控制器，可搭配半閉及全閉路油壓系統，並具備人性化圖形操作界面、線上曲線監測功能及中央網路連線管理。

● All-new Control System

The new control system is capable of producing under semi-closed and closed-loop systems, a personalized graphic operation interface, and production data management via centralized web link.



● 新式專利射移結構

新型導柱式結構，跨距縮短，避免料管前傾及導柱下垂變形。使用二硫化鉬塗佈襯套，阻力小，移動快速，且永久免潤滑，潔淨度高。

● New Patented Injection Sliding Structure

The new pillar guiding plate structure is shortened to avoid barrel inclination and deformation. And with Molybdenum Disulfide coated bushings, it produces a less resistant, faster moving, very clean, oil-free injection sliding structure.



● 高剛性機架結構

精簡堅固之設計，經有限元素分析變形量及應力分佈，確保機架結構及強度達到最佳化，使HN系列機種「穩如泰山」。

● Highly Rigid Structure Frame

Designed based on Finite Element Analysis (FEA) for Stress and Strain effects to ensure the HN's excellent frame structure.

● 高效節能的伺服動力系統

配置交流永磁同步高性能的伺服電機，實現系統壓力和流量閉環控制，可節能約30-70%。

● High Efficiency Servo Power System

Adopting AC / PM synchronous servo motor to achieve system pressure and close loop controlling, and save power about 30-70%.

標準及選購配備 Standard & Optional Accessories

配備項目	ITEM	HN-125U	HN-150U	HN-200U	HN-250U	HN-300U	HN-350U	HN-470U	HN-530U
C級雙合金螺桿	C-Bi-alloy Screw	●	●	●	●	●	●	●	●
開關模比例閥控制	Proportional valve for mould open and close	○	○	○	○	○	○	○	○
多段數位背壓(螢幕設定)	Multi-stage back pressure control (Screen set up)	○	○	○	○	○	○	○	○
多段數位背壓(螢幕設定及顯示)	Multi-stage back pressure control (Screen set up and display)	○	○	○	○	○	○	○	○
射出電阻尺	L/P for injection unit	●	●	●	●	●	●	●	●
模壁T型槽	T-slot platen	—	—	—	●	●	●	●	●
模壁T型墊板	T-slot board	○	○	○	—	—	—	—	—
隔熱墊板	Insulator sheets	●	●	●	●	●	●	●	●
模定位圈	Check ring of mold	●	●	●	●	●	●	●	●
曲肘電動注油器	Auto lubrication system for toggle	●	●	●	●	●	●	●	●
車壁潤滑：電動注油器	Auto lubrication system (platen)	●	●	●	●	●	●	●	●
雙中子	Double core pull device	○	○	○	○	○	○	○	●
單中子(一公)	Single core pull device	●	●	●	●	●	●	●	—
計時(次)轉牙	Unscrew device by counter or timer	○	○	○	○	○	○	○	○
夾模電阻尺	L/P for clamping unit	●	●	●	●	●	●	●	●
頂出電阻尺	L/P for ejection unit	●	●	●	●	●	●	●	●
單風托(一公一母)	Air ejector sets	○	○	○	○	○	○	●	●
機架架高(落下口取物)	High base	—	—	—	—	—	—	—	—
成品落下口	Article Collecting Channel	●	●	●	●	●	●	●	—
電動安全門	Automatic safety gate (Electric type)	—	—	—	—	—	—	—	●
水流分佈器4入4出(銅製)	Water manifold-4 in & 4 out (copper)	●	●	●	●	●	—	—	—
水流分佈器10入10出(銅製)	Water manifold-10 in & 10 out (copper)	○	○	○	○	○	○	○	●
自封式磁性吸油過濾器	With check valve magnetic suction filter	—	—	—	—	—	—	●	●
雙迴路(開模與托模同動)	Double loops system (mould open-ejector start)	○	○	○	○	○	○	○	○
油溫顯示	Oil temperature display for hydraulic system	●	●	●	●	●	●	●	●
伺服節能系統	Servo power-saving system	●	●	●	●	●	●	●	●
電眼檢出	Photo cell drop-out checking device	○	○	○	○	○	○	○	—
FCS-6510S微電腦控制器(彩色)	FCS-6510S controller (color screen)	●	●	●	●	●	●	●	●
資料保護鎖(硬體鎖)	Data lock function (key)	●	●	●	●	●	●	●	●
電控穩壓器	Power stabilizer	○	○	○	○	○	○	○	○
三色警示燈	Three colors alam light	●	●	●	●	●	●	●	●
CE安全插座	CE safty sockt	●	●	●	●	●	●	●	●
電源插座	Power socket (110V/220V)	○	○	○	○	○	○	○	○
主電源斷路器	Main power breaker	●	●	●	●	●	●	●	●
油壓、電氣雙重保護裝置	Dual safty device : hydraulic and electrical	●	●	●	●	●	●	●	●
不鏽鋼漏斗	Stainless hopper	▲	▲	▲	▲	▲	▲	▲	—
乾燥機	Hopper dryer	○	○	○	○	○	○	○	○
抽料機	Auto loader	○	○	○	○	○	○	○	○
模溫機	Mold temperature controller	○	○	○	○	○	○	○	○
乾燥機磁鐵	Magnet for hopper dryer	○	○	○	○	○	○	○	○
吊桿組	Mold lifting hanger set	○	○	○	—	—	—	—	—
避震器	Anti-vibration mounting pad	●	●	●	●	●	●	●	●
填料台	Filling material stand	—	—	—	—	—	—	—	—
工具箱組	Tool box set	●	●	●	●	●	●	●	●
電器及其他附件	Accessory for electrical and others	●	●	●	●	●	●	●	●

● 標準配備 Standard ○ 選購配備 Option ▲ 選附配備 Free Option — 無 N/A

【全球行銷服務網】Global Marketing Network



70 Global Service Centers

富強鑫集團 FCS Group



富強鑫精密工業股份有限公司

Fu Chun Shin Machinery Manufacture Co., Ltd.

71841 臺灣台南市關廟區埤頭里保東路269號

No.269, Baodong Road, Pitou Village, Guanmiao District, Tainan City 71841, Taiwan

TEL: +886-6-5950688 • FAX: +886-6-5951129 • E-mail: fcsco@fcs.com.tw

東莞富強鑫塑膠機械製造有限公司

Dongguan Fu Chun Shin Plastic Machinery Manufacture Co., Ltd.

中國廣東省東莞市大朗鎮石廈管理區金廈東路18號 郵編：523792

No.18, Jinsha East Road, Shixia Administration District, Dalang Town,

Dongguan City 523792, Guangdong Province, China

TEL: +86-769-83313753 • FAX: +86-769-83181903 • E-mail: cdg@fcs.com.tw

富強鑫(寧波)機器製造有限公司

Fu Chun Shin (Ningbo) Machinery Manufacture Co., Ltd.

中國浙江省寧波市江北區海川路115號 郵編：315032

No.115, Haichuan Road, Jiangbei District, Ningbo City 315032, Zhejiang Province, China

TEL: +86-574-56138688 • FAX: +86-574-56138600 • E-mail: cnb@fcs.com.tw

印度富強鑫

FCS Manufacturing (India) Private Limited

Block Number 218, Xcelon Industrial Estate, Near Intas Pharmaceutical, Village Chancharvadi Vasna,

Sarkhej Bavla Road, Taluka Sanand, Ahmedabad, Gujarat - 382213

TEL: +91-99-98897768 • E-mail: fcsco@fcs.com.tw



uCloud