



Bag Making Machine



- This machine can slit one-single big film roll into multi-line tracks simultaneously with high production capacity.
- It can produce 1~5 lines hot slitting for bottom sealing bag, and calendar bag.
- This machine has Hot Slitting Device, Block Device, Perforation Device, and Punching Device to choose according to different requirements.









Servo Feeding Control System & Printing Photo Cell

The new designed Big Monitor Servo Feeding Control System can manage the "set up" data with high speed. The unique designed Printing Photo Cell is able to enhance the productivity, and it is easy to operate.



Hot Slitting
It features direct
slitting, adjusta
temperatures, s
adjustable spe
sizes, and eas

| Model | No. of Tracks (max.) | Film Unwind Width (max.) (mm) | Film Diameter (max.) (mm) | | |
|------------|----------------------------|-------------------------------------|---------------------------------|--|--|
| HM-1100C5 | 5 | 900 | | | |
| HM-1100C5G | 5 | 1200 | 1000 | | |
| HM-1100B5 | 5 | 1000 | 1000 | | |
| HM-1100B5G | 5 | 1200 | 1000 | | |

- This machine can make a big roll into small rolls by using hot slitting. The machine productivity is extremely high.
- Suitable to make 1~5 lines hot slitting bottom sealing bags.
- This machine can simultaneously produce bottom sealing bags in different bag width.
- With a fully automatic computer control servo system, this machine can have both a high speed and a stable productivity.
- Suitable to produce multi-line printed bottom sealing bags.





Device at heating design for hot ble heating smooth hot slitting output, ed to handle various film by to maintain.



Punching Device (for HM-1100C5)

- This punching device is made with adjustable number of Punching Mold Quality Design.
- It can produce 1~5 lines bag production.
- It can be re-assembled as per requirement.
- With including perforation & Hanghole functions, also it can be multi-selection choice.



Sealing Knife "Turnover" Device
The newly design structure of Sealing
Knife is easy to clean. While cleaning
the Sealing Knife, the whole stack of
bags can be moved away, and the
Sealing Knife can be turned over.



Hydraulic Unwind Device

- Hydraulic rack to lift the jumbo film roll automatically.
- The max. dia. of the film roll is 100 cm.
- The max. weight of the film roll is 600 kg.
- Provide auto tension control for driving the film by AC motor. Unwind speed is auto control, following the machine speed.

| Bag Size (mm) | | Production Thickness | Thickness | Film Line | Power | Machine Dimensions | | | Markina | Air Compressor | Remarks |
|--------------------------------|---------|-----------------------|--------------------------------|-------------------------|------------------|--------------------|----------|----------|----------------|------------------------|----------------------------|
| Width (each line) (min.) | Length | Speed (cycles/min) | of Film | Speed Cycles (m/min) | Required (kW) | L (m) | W (m) | H (m) | Weight (kg) | (not included) (hp) | Remarks |
| 100 | 250~700 | 200 | HD: 0.01~0.03 LD: 0.02~0.05 | 90 | 13 | 9 | 2.35 | 1.94 | 2800 | 7.5 | Without side gusset device |
| 100 | 250~700 | 200 | HD: 0.01~0.03 LD: 0.02~0.05 | 90 | 15 | 11 | 2.29 | 2.2 | 3500 | 7.5 | With side gusset device |
| 100 | 200~700 | 200 | 0.01~0.03 | 100 | 11 | 9 | 2.35 | 1.94 | 2500 | 7.5 | Without side gusset device |
| 100 | 200~700 | 200 | 0.01~0.03 | 100 | 13 | 11 | 2.29 | 2.2 | 3200 | 7.5 | With side gusset device |



峰明機械有限公司 HEMINGSTONE MACHINERY CO., LTD.

No. 41, Wu-Kong 5 Rd., Wu-Ku Industrial Park, Wu-Ku Hsiang, Taipei Hsien 248, Taiwan

Tel: +886-2-2299-1616, 2299-5700 Fax: +886-2-2299-2070, 2299-2080 E-mail: hm.stone@msa.hinet.net hm_mail@hemingstone.com

www.hemingstone.com