



No compromise on each process. Maximizing values to each other.

We never compromise on each process and maximize values to each other. Our offerings range from single production equipment to diversified and multi-functional facilities, where every manufacturing process is strictly controlled, and every production line is solidly planned. The assembly of production lines is closely monitored, using continuously improved mechanical manufacturing techniques. We deliver outstanding advantages and efficiency in terms of economy, delivery time, transportation arrangements, and after-sales service, with our persistence behind every detail, as we strongly believe that persistence creates extraordinary value for each other.






Innovative Lung Meng Leads Industry Advancement.

Lung Meng, a pioneering force in the global plastic industry based in Taiwan, leads the advancement of cutting-edge technologies and solutions. As one of the world's leading developer and manufacturer of machinery. Lung Meng has over 50 years of experience specializing in "blown film, printing, sealing & cutting and recycling" machines, coupled with a deep understanding of the plastic market.





Flexible and feasible solutions. Customized machines are sold worldwide.

Our strong commitment to customer collaboration and mutual learning has resulted in customized machines that are sold worldwide. Our professional technical team, with its solid experience, accurately builds production plans that meet customer's needs with analysis, creativity, practical capabilities, and the assistance of precision instruments. At Lung Meng, we deliver flexible and feasible solutions with leading-edge production line designs, innovative technology, timely service and support.





MODEL	AS-2500P-FCB	AS-1900P-FCBH	AS-1400P-FCB	AS-1900P-FCB
Min. Bag Size: (WxL) (mm)	1200 × 1000	800 × 1000	500 × 1000	800 × 1000
Max. Bag Size (WxL) (mm)	2500 × 4000	1900 × 4000	1400 × 2000	1900 × 2500
Thickness of Film (mm)	0.05 × 0.2	0.02 × 0.2	0.02 × 0.1	0.02 × 0.1
Max. Production (Cycle/min)	25	25	25	25



MODEL	EERR-800	
Max. Bag Size (W×L) (mm)	450~750	
Thickness of Film (mm)	0.1~0.4	
Max. Production (Cycle/min)	10~60	

[#] Final specifications of machine depend on the film application, material to be used, accepted thickness tolerance and your special requirements.





MODEL	ASTP-760P-SB	ASTP-1000P-SB
Bag Type	Bottom+Side Seal	Bottom+Side Seal
Min. Bag Size: (WxL) (mm)	120 × 120	120 × 120
Max. Bag Size (WxL) (mm)	650 × 760	650 × 1000
Thickness of Film (mm)	0.02-0.1 0.02-0.06	0.02~0.1 0.02~0.06
Max. Production (Cycle/min)	160	140



MODEL	TP-750P-S	
Bag Type	Side Seal	
Min. Bag Size: (W×L) (mm)	120 × 120	
Max. Bag Size (W×L) (mm)	600 × 750	
Thickness of Film (mm)	0.02-0.06	
Max. Production (Cycle/min)	160	

^{*} Final specifications of machine depend on the film application, material to be used, accepted thickness tolerance and your special requirements.



MODEL	TPL-600P-S	TPL-600P-P	TPL-600P-F4
Bag Type	Soft Loop	Patch Handle	4 in 1
Min. Bag Size: (W×L) (mm)	250 × 250	250 × 250	250 × 250
Max. Bag Size (W×L) (mm)	600 × 600	600 × 600	600 × 600
Thickness of Film (mm)	0.03~0.09	0.03~0.09	0.03~0.09
Max. Production (Cycle/min)	50	50	80



MODEL	TPA-350P-GP-2	TPA-450P-GP-2	TPA-500P-GP	TPA-600P-GP-1
Max.Width (mm) x Lane	350 × 2	450 × 2	500 × 2 (printed) 230 × 4 (blank)	600 × 1
Min. Bag Size: (W×L) (mm)	125 × 350 × 2 lanes	150 × 350 × 2 lanes	125 × 350 × 4 lanes	$200\times350\times1$ lane
Max. Bag Size for T-shirt (W×L) (mm)	350 × 650	450 × 650	$230 \times 650 \times 4$ lanes (blank) $500 \times 650 \times 2$ lanes (printed)	600 × 700
Thickness of Film (mm)	HDPE 0.008~0.035 LDPE 0.02~0.06	HDPE 0.008~0.035 LDPE 0.02~0.06	HDPE 0.008~0.035 LDPE 0.02~0.06	HDPE 0.008~0.035 LDPE 0.02~0.06
Max. Production (Cycle/min)	300	230	230	250

[#] Final specifications of machine depend on the film application, material to be used, accepted thickness tolerance and your special requirements.



HIGH SPEED SERVO-DRIVEN TRIPLE-LANE T-SHIRT BAG MAKING MACHINE WITH SLIT SEAL & POST GUSSET UNIT



MODEL	TPA-1000SHP2	TPA-1100SHP2	TPA3-1200SHP2
Lane	2	2	3
Min. Bag Size: (W×L) (mm)	420 × 700	460 × 700	330 × 700
Thickness of Film (mm)	0.008~0.025	0.008-0.025	0.008~0.025
Max. Production (Cycle/min)	250	250	250



MODEL	GS-350P-4	GS-220P-6	GS-480P-4	GS-300P-6
Max.Width (mm) × Lane × Layer	$350 \times 2 \times 2$ (blank)	$220 \times 3 \times 2$ (blank)	$480 \times 2 \times 2$ (blank)	300 × 3 × 2 (blank)
Min. Bag Size: (W×L) (mm)	$150\times350\times4~lanes$	$125\times350\times\delta$ lanes	$240\times350\times4lanes$	$150\times350\times6~lanes$
Max. Bag Size for T-shirt (W×L) (mm)	$350\times650\times4~lanes$	$220\times650\times6~lanes$	$480 \times 650 \times 4$ lanes	$300\times650\times6$ lanes
Max. Bag Size (W×L) (mm)	N/A	$750\times1000\times2\ lanes$	N/A	1000 × 1000 × 2 lanes
Thickness of Film (mm)	0.010.035	0.01~0.035	0.01-0.035	0.01-0.035
Max. Production (Cycle/min)	120	100	100	100

^{*} Final specifications of machine depend on the film application, material to be used, accepted thickness tolerance and your special requirements.



LUNG MENG MACHINERY CO., LTD.

Fax: +886-6-203-1178

Taipei Office 7F., No.12-19, Sec. 2. Zhongyang S. Rd., Beitou Dist., Taipei City 112, Taiwan Tel : +886-2-2897-6599 Fax: +886-2-2897-9618

BAG MAKING 2023-0020

www.lungmeng.com.tw