




塑膠棧板 Plastic Pallet

塑膠棧板優點 Advantages of plastic pallet

- 一般環境使用PP塑料，若有低溫環境需求，建議使用HDPE塑料。
- 耐衝擊，防水，免於受潮腐爛。
- 免於蟲蛀問題，免煙燻。
- 堆高機及托板車皆可作業。
- Normal environment is recommended to use PP. Low temperature environment is recommended to use HDPE.
- Excellent impact resistance, waterproof and prevent from damped & rotted.
- Vermin proof, fumigation free .
- Fit for forklift and trailer.

田字型棧板 Grid Plastic Pallet

- 適用於冷凍食品業、五金用品行業、電子產品行業使用。
- Suitable for frozen food, hardware, and electronic product packaging.

棧板規格 Pallet types

品名 Type	網格田字棧板-F1 Grid Plastic Pallet F1
產品尺寸 Size	110 x 110 x 12 cm
動載 Dynamic Load	800 kg
靜載 Static Load	1,800 kg
裝櫃數量 Quantity	424 pcs/40HQ'

品名 Type	網格田字棧板-F2 Grid Plastic Pallet F2
產品尺寸 Size	120 x 100 x 15 cm
動載 Dynamic Load	1,000 kg
靜載 Static Load	3,000 kg
裝櫃數量 Quantity	366 pcs/40HQ'

品名 Type	網格田字棧板-F5 Grid Plastic Pallet F5
產品尺寸 Size	110 x 110 x 15 cm
動載 Dynamic Load	1,000 kg
靜載 Static Load	3,000 kg
裝櫃數量 Quantity	364 pcs/40HQ'



田字型棧板 Grid Plastic Pallet

棧板規格 Pallet types

品名 Type	網格雙面棧板-F6 Grid Plastic Pallet F6
產品尺寸 Size	130 x 110 x 15 cm
動載 Dynamic Load	1,500 kg
靜載 Static Load	6,000 kg
裝櫃數量 Quantity	288 pcs/40HQ'



品名 Type	網格田字棧板-S1 Grid Plastic Pallet S1
產品尺寸 Size	110 x 80 x 13.5cm
動載 Dynamic Load	600 kg
靜載 Static Load	1,800 kg
裝櫃數量 Quantity	540 pcs/40HQ'



品名 Type	網格田字棧板-S2 Grid Plastic Pallet S2
產品尺寸 Size	120 x 100 x 14 cm
動載 Dynamic Load	800 kg
靜載 Static Load	2,250 kg
裝櫃數量 Quantity	366 pcs/40HQ'



套疊型棧板 Piled Plastic Pallet

- 輕量型，免煙燻，適用於外銷出口使用。
- 運輸成本低，節省儲位空間達3/4。
- Lightweight, fumigation free, suitable for export packaging.
- Low transportation cost and saving storage space up to 75%.

棧板規格 Pallet types

品名 Type	套疊型棧板-F7 Piled Plastic Pallet F7
產品尺寸 Size	110 x 110 x 14 cm
動載 Dynamic Load	600 kg
靜載 Static Load	1,500 kg
裝櫃數量 Quantity	1048 pcs/40HQ'



品名 Type	套疊型棧板-S5 Piled Plastic Pallet S5
產品尺寸 Size	120 x 100 x 13 cm
動載 Dynamic Load	600 kg
靜載 Static Load	1,500 kg
裝櫃數量 Quantity	1,449 pcs/40HQ'



品名 Type	套疊型棧板-S6 Piled Plastic Pallet S6
產品尺寸 Size	120 x 120 x 13 cm
動載 Dynamic Load	600 kg
靜載 Static Load	1,500 kg
裝櫃數量 Quantity	977 pcs/40HQ'



平面型棧板 Flat Plastic Pallet

- 易清洗，適用於醫藥業、食品業及無塵室用。
- Easy to clean, suitable for pharmaceutical, food packaging and clean room.
- 可正反堆疊，運輸成本低，節省儲位空間達1/2。
- Stackable, low transportation cost and saving storage space up to 50%.

棧板規格 Pallet types

品名 Type	平面九腳棧板-F4 Flat Nine-leg Plastic Pallet F4
產品尺寸 Size	120 x 100 x 14cm
動載 Dynamic Load	1,000 kg
靜載 Static Load	3,000 kg
裝櫃數量 Quantity	482 pcs/40HQ'



品名 Type	平面九腳棧板-S7 Flat Nine-leg Plastic Pallet S7
產品尺寸 Size	100 x 100 x 13cm
動載 Dynamic Load	1,000 kg
靜載 Static Load	3,000 kg
裝櫃數量 Quantity	482 pcs/40HQ'



川字型棧板 Three Runner Plastic Pallet

- 承載强度高，適用於倉儲理貨使用。
- High loading capacity, suitable for in-plant transportation.

棧板規格 Pallet types

品名 Type	網格川字棧板-F3 Three Runner Plastic Pallet F3
產品尺寸 Size	120 x 100 x 15 cm
動載 Dynamic Load	1,000 kg
靜載 Static Load	3,000 kg
裝櫃數量 Quantity	451 pcs/40HQ'



【全球行銷服務網】Global Marketing Network



富強鑫集團 FCS Group



富強鑫精密工業股份有限公司

Fu Chun Shin Machinery Manufacture Co., Ltd.

71841 臺灣台南市關廟區埤頭里保東路269號

No.269, Baodong Road, Pitou Village, Guanmiao District, Tainan City 71841, Taiwan

TEL: +886-6-5950688 • FAX: +886-6-5951129 • E-mail: fcsco@fcs.com.tw

東莞富強鑫塑膠機械製造有限公司

Dongguan Fu Chun Shin Plastic Machinery Manufacture Co., Ltd.

廣東省東莞市大朗鎮石廈管理區金廈東路18號 郵編：523792

No.18, Jinsha East Road, Shixia Administration District, Dalang Town,

Dongguan City 523792, Guangdong Province, China

TEL: +86-769-83313753 • FAX: +86-769-83181903 • E-mail: cdg@fcs.com.tw

富強鑫(寧波)機器製造有限公司

Fu Chun Shin (Ningbo) Machinery Manufacture Co., Ltd.

浙江省寧波市江北區海川路115號 郵編：315032

No.115, Haichuan Road, Jiangbei District, Ningbo City 315032, Zhejiang Province, China

TEL: +86-574-56138688 • FAX: +86-574-56138600 • E-mail: cnb@fcs.com.tw

印度富強鑫

FCS Manufacturing (India) Private Limited

Block Number 218, Xcelon Industrial Estate, Near Intas Pharmaceutical, Village Chancharvadi Vasna,

Sarkhej Bavla Road, Taluka Sanand, Ahmedabad, Gujarat - 382213

TEL: +91-99-98897768 • E-mail: fcsindia@fcs.com.tw

