


DAH BAH SINCE 1964

QUALITY ▪ PROFESSIONAL ▪ INNOVATION



BAG MAKING MACHINE

AUTOMATIC VALVE
SEALING MACHINE

PVC SHRINKABLE
LABEL MAKING MACHINE

SPOUT INSERTING &
SEALING MACHINE

ROLL REWINDING /
INSPECTING MACHINE

SPLITTING MACHINE

COMPANY PROFILE

Dah Bah Machinery Industrial Inc.

is the professional manufacturer and supplier of high-quality pouch making machines, slitting machines, spout inserting and sealing machines, as well as a wide range of other converting equipment. Formed in 1964, Dah Bah's products are designed specifically for use in the flexible packaging and other related industries and sold to over 70 countries around the world. As committed to in-depth research and development, Dah Bah provides machinery and services of the highest quality-guaranteed to be in full compliance with ISO 9001:2008 and CE standards.



Key Production Lines

- Slitting Machines
- Roll Rewinding / Inspecting Machines
- Bag Making Machines
- PVC Shrinkable Label Making Machines
- Cutting / Sheeting Machines
- Spout Inserting & Sealing Machines
- Embossing Machines
- Automatic Valve Sealing Machines
- Automatic Tin Tie Sealing Machines

Customer Worldwide



Enterprise Culture

Management Idea: Perpetualism, Innovation, Excellence, Service.

Enterprise Spirit: Aggressiveness, Responsibility, Solidarity, Improvement.

Management Principle: Reasonable, Effective, Speedy.

Work Principle: Plan, Do, Check, Action.

Quality Policy: Persistent Investigation, Constant Improvement, Effective Efficiency, Customer Satisfaction.

POLY BAG MAKING MACHINE



■ AFM Series

3-Side-Seal / Stand-Up / Zipper and
4-Border-Seal Bag from One Web / Separate Webs

Model No.	AFM-64SPZ
MAX. PARENT WEB WIDTH	400 - 1200 mm
MAX. PARENT WEB DIAMETER	800 mm
MAX. MACHINE SPEED	180 Cuts / min.
NET WEIGHT	6800 kg
AREA REQUIRED	L 1387 × W 3621 × H 2145 (mm)
POWER	380V / 42KW / 64A
WATER	15 - 20°C
AIR	6 kg/cm ³



■ ACM Series

Center Seal / Fin Seal / Four Border Seal Bags with Gussets

Model No.	ACM-43	ACM-43Q
MAX. PARENT WEB WIDTH	820 mm	1020 mm
MAX. PARENT WEB DIAMETER	600 mm (Each side)	600 mm (Each side)
CENTER-SEAL BAG WIDTH	50 - 400 mm	50 - 400 mm
GUSSET-SEAL BAG LENGTH	50 - 300 mm	50 - 400 mm (Seal two times)
4-BORDER-SEAL BAG WIDTH	N/A	110 - 380 mm (Each side)
MAX. GUSSET DEPTH	25 - 60 mm (Each side)	25 - 60 mm (Each side)
MACHINE SPEED	180 Cuts / min.	180 Cuts / min.
NET WEIGHT	3400 kg	3800 kg
AREA REQUIRED	L 8700 × W 2700 × H 2200 (mm)	L 10300 × W 2700 × H 2200 (mm)
POWER	380V / 15KW / 28TA	380V / 15KW / 28TA



■ ABM Series

Stand-Up, 3-Side-Seal, Zipper and 4-Border-Seal bags

Model No.	ABM-64SPZ
MAX. PARENT WEB WIDTH	600 - 1200 mm
MAX. PARENT WEB DIAMETER	800 mm
MAX. BAG WIDTH	600 mm
MAX. MACHINE SPEED	180 Cuts / min.
NET WEIGHT	4700 kg
AREA REQUIRED	L 12141 × W 5229 × H 1795 (mm)
POWER	380V / 31KW / 65A



MEDICAL BAG MAKING MACHINE

■ AMM Series

3-Side-Seal Medical Bag Making Machine

Model No.	AMM-62DS
MAX. PARENT WEB WIDTH	600 mm
MAX. PARENT WEB DIAMETER	700 mm
BAG WIDTH RANGE	50-600 mm
BAG LENGTH RANGE	80-500 mm
MACHINE SPEED	120 Cuts/min



Side-Seal / Gusset Tube Making Machine (Web to Reels)

Model No.	AMM-62RU
MAX. PARENT WEB WIDTH	600 mm
MAX. PARENT WEB DIAMETER	700 mm
BAG-TUBE WIDTH RANGE	50-600 mm
BAG-TUBE WIDTH LENGTH	200 mm
MAX. GUSSET DEPTH	50 mm (Each side)
MACHINE SPEED	30 M/min (100 Cycle/min)



ROLL REWINDING / INSPECTING MACHINE




■ RE Series

Model No.	REF-200R
MAX. PARENT WEB WIDTH	600-2000 mm
MAX. PARENT WEB DIAMETER	600/800/1000 mm
MAX. MACHINE SPEED	200 M/min.



SLITTING MACHINE



■ Ultima Series

Model No.	SLF-MB130LF
MAX. PARENT WEB WIDTH	1000-1500 mm
MAX. PARENT WEB DIAMETER	1000 mm
THICKNESS RANGE	12-150 μ (Depends on various materials' conditions)
MAX. REWIND DIAMETER	600 mm
MIN. SLIT WIDTH	50-500 mm (Depends on various materials' conditions)
MAX. MACHINE SPEED	400-500 M/min.



■ Supra Series

Model No.	SLF-MS260
MAX. PARENT WEB WIDTH	1000-2600 mm
MAX. PARENT WEB DIAMETER	1000 mm
MAX. REWIND DIAMETER	1000 mm
MIN. SLIT WIDTH	400 mm
MAX. MACHINE SPEED	600 M/min.



■ Nera Series

Model No.	SLF-MB200
MAX. PARENT WEB WIDTH	500-2000 mm
MAX. PARENT WEB DIAMETER	500/650/800/1000 mm
THICKNESS RANGE	Depends on various materials' conditions
MAX. REWIND DIAMETER	420/600/800 mm
MIN. SLIT WIDTH	20 mm (Depends on various materials' conditions)
MAX. MACHINE SPEED	200/300 M/min.



■ Enova Series

Model No.	SLV-T130F
MAX. PARENT WEB WIDTH	600-1300 mm
MAX. PARENT WEB DIAMETER	800 mm
THICKNESS RANGE	35-150 μ (Depends on various materials' conditions)
MAX. REWIND DIAMETER	450 mm
MIN. SLIT WIDTH	50-550 mm (Depends on various materials' conditions)
MAX. MACHINE SPEED	300 M/min.



■ Mecha Series

Model No.	SLF-MB200
MAX. PARENT WEB WIDTH	1000-2000 mm
MAX. PARENT WEB DIAMETER	800/1000/1200/1500 mm
THICKNESS RANGE	Depends on various materials' conditions
MAX. REWIND DIAMETER	1000/1200/1500 mm
MIN. SLIT WIDTH	50 mm (Depends on various materials' conditions)
MAX. MACHINE SPEED	200/300/400/600 M/min.



■ Revola Series

Model No.	SLF-R100TT
APPLICABLE MATERIAL	Thermal transfer ribbon, 6-12 μ
MAX. PARENT WEB WIDTH	700-1000 mm
MAX. PARENT WEB DIAMETER	650 mm
MAX. REWIND DIAMETER	40-220 mm
MIN. SLIT WIDTH	90 mm
MAX. MACHINE SPEED	200 M/min



■ Centra Series

Model No.	SLF-C200
MAX. PARENT WEB WIDTH	600-2000 mm
MAX. PARENT WEB DIAMETER	1500 mm
THICKNESS RANGE	30-800 gsm
MAX. REWIND DIAMETER	1200 mm
MIN. SLIT WIDTH	20 mm (Depends on various materials' conditions)
MAX. MACHINE SPEED	200/300 M/min.




PVC SHRINKABLE LABEL MAKING MACHINE



■ ACSF Series

Sleeve Making Machine

Model No.	ACSF-30GM
MAX. PARENT WEB WIDTH	610 mm
MAX. PARENT WEB DIAMETER	500 mm
MAX. TUBE WIDTH	50 - 300 mm
MAX. REWIND DIAMETER	800 mm
MAX. MACHINE SPEED	200 M/min.



■ ACDV Series

Label Cutting Machine

Model No.	ACDV-30S	ACDV-50S
MAX. PARENT WEB WIDTH	300 mm	500 mm
MAX. PARENT WEB DIAMETER	800 mm	800 mm
MAX. CUTTING LENGTH	400 mm	500 mm
PLAIN FILM PRINTED FILM	300 mm	400 mm
MAX. MACHINE SPEED	400 Cuts/min.	300 Cuts/min.



■ REF Series

Doctoring Machine

Model No.	REF-Q30
MAX. PARENT WEB WIDTH	300 mm
MAX. PARENT WEB DIAMETER	800 mm
MACHINE SPEED	250 M/min.



AUTOMATIC VALVE SEALING MACHINE



■ AVI Series

Model No.	AVI-20
BAG SIZE	80-180 mm width
MINIMUM BAG SIZE	80 mm width with 25 mm side gusset
TYPE OF VALVE LENGTH	Width 22 mm, Thickness 3.85 mm
MAXIMUM VALVE DISTANCE FROM OPEN END OF THE POUCH	185 mm
MINIMUM VALVE DISTANCE FROM SIDE EDGES OF THE POUCH	40 mm
VALVE PUNCHING AND SEALING TOOL	As request
MACHINE SPEED	12-15 pcs per minute

SPOUT INSERTING & SEALING MACHINE



Model No.	SI-30R
BAG WIDTH RANGE	100-300 mm
SPOUT WIDTH RANGE	30-40 mm
SPOUT LENGTH RANGE	24-30 mm





DAH BAH MACHINERY INDUSTRIAL INC.

No. 69-10, Chung Shin Rd., Sec. 2, Tali Dist., Taichung City 41254, Taiwan

Tel 886.4.2483.2477

Fax 886.4.2483.0852

E-Mail dahbah@dahbah.com.tw

www.dahbah.com.tw



iCatalog

