

INTERLEAVED DRAW TAPE BAG ON ROLL CONVERTING SYSTEM


(Common Type for Long / Short Bags)



TA-IPD-XL-Q



Flowchart



Features


- High speed integrated servo-driven system, suitable for draw-tape and conventional garbage bag on roll.
- Auto draw-tape feeding system, double unwinding system for quick draw tape roll changing.
- Double sealing device duplicates production capacity for small bag.
- Compact rotary interleaved winder, 2 in 1 system, available for perforation bag on roll and interleaved bag on roll.
- User friendly PLC touch screen control system.
- Optional label dispenser.
- Reliable versatile system to produce wide variety of bag on roll including star sealed bag, wave type bag, table cover and many more by changing modular system.

Specifications

* Specification subject to change without notice

MODEL	TA-1000-IPD-XL-Q	TA-1250-IPD-XL-Q
Single Thickness (mm)	HDPE: 0.008~0.025 / LDPE 0.020~0.100	
Draw tape Bag Width (mm)	400 ~ 1000	400 ~ 1000
Draw tape Bag Length (mm)	450 ~ 900	450 ~ 1200
Regular bag Width (mm)	100 ~ 900	100 ~ 1200
Regular bag Length (mm)	140 ~ 2000	140 ~ 2000
Machine Speed (M/min)	20 ~ 160	
Max. Output (pcs/min)	320	
Max. Dia. of Product (mm)	Ø 180 * W 275	
Draw-Tape Width (mm)	100	
Draw-Tape Thickness (mm)	0.020~0.025	
Machine size (mm) (L*W*H)	15117 * 2475 * 2255	15117 * 2750 * 2255
Power Required (kw)	62	

www.lungmeng.com.tw



 **LUNG MENG**

LUNG MENG MACHINERY CO., LTD.

Headquarters

No. 20, Huan Kung Rd.,
Yung Kang Ind. Area,
Tainan City 710, Taiwan
T. +886-6-232-1126
F. +886-6-203-1178
E. sales@lm-hq.com

Taipei Office

6F-7, No. 28, Sec. 3,
Ren-ai Rd., Da-an Dist.,
Taipei City 106, Taiwan
T. +886-2-2706-0758
F. +886-2-2706-0658

