



HEMINGSTONE

SINCE 1979

THE FIRST CHOICE

HM-1100CT3

Super High Speed 3 Lines **T-shirt Bag & Calendar Bag**
Making Machine with Hot Slitting, Side Gusset &
Servo-Drive System
(Non Stop)



HM-1100CT3

Super High Speed 3 Lines T-shirt Bag & Calendar Bag Making Machine with Hot Slitting, Side Gusset & Servo-Drive System

(600 PCS/MIN)  EB61615

(Non Stop)



- Easy to operate with three lines hot slitting T-Shirt & calendar bag making machine, super high speed fully automatic production speed control. ▪ Special Servo-Driven bag feeding design, easy to operate.
- Equipped with multi auto alarms, automatic stop design. ▪ Independent three lines temperature control.
- Improved tension auto control to enhance the productivity. ▪ High efficiency on production.
- Equipped with multi auto tension control to maintain the stability of the film roll.



SERVO FEEDING CONTROL SYSTEM & PRINTING PHOTO CELL :

The new designed Big Monitor Servo feeding Control System can manage the "Set Up" data with high speed. The unique designed Printing photo cell is able to enhance the productivity, and easy to operate.



SEALING KNIFE " TURNOVER " DEVICE :


The Newly Design structure of Sealing Knife is easy to clean. While cleaning the Sealing Knife, the whole stack of bags can be moved away, and the Sealing Knife can be turned over. The Punching Device is driven by Cylinder with pneumatic & hydraulic system.

SPECIFICATIONS :


Model	Bag Size (mm)		Production Speed Cycles/Min	Thickness of Film (mm)	Heaters	Power Required	Machine Dimension	
	Width (Each line)	Length					L (M)	W (M)
HM-1100CT3	max. 330	max. 700	max. 200	0.012~0.025	9KW	13KW	9.95	2.35




PRODUCTS



HM-1100CT3



Unit:mm



HYDRAULIC UNWIND DEVICE :

Hydraulic rack to lift the jumbo film roll automatically.
The maximum diameter of the film roll is 100 cm.
The maximum weight of the film roll is 600 KG.
Provide auto tension control for driving the film by AC motor.
Unwind speed is auto control, following the machine speed.



HOT SLITTING DEVICE :

It features direct heating design for hot slitting, adjustable heating temperatures, smooth hot slitting output, adjustable speed to handle various film sizes, and easy to maintain.

SIDE GUSSET DEVICE :

Authentic side gusset design to provide the quick, easy and accurate adjustment on the gusseting depth and the edge angle of gusseting.

Dimension	Machine Weight (KG)	Film width (mm)	Gross Weight (KG)	Air Compressor (not included)
H (M)				
2.05	4350	1600MAX	4900	7.5HP

Please visit website www.machinesources.com and key
in the Video Serial Number  **EB61601** to watch
HEMINGSTONE company profile.



SINCE 1979

HEMINGSTONE

THE FIRST CHOICE

HEMINGSTONE MACHINERY CO., LTD.

NO.41, WU-KONG 5 RD., WU-KU INDUSTRIAL
PARK, WU-KU HSIANG, TAIPEI HSIEN, TAIWAN
TEL:886-2-2299-1616, 2299-5700
FAX:886-2-2299-2070, 2299-2080
E-Mail:hm.stone@msa.hinet.net
hm_mail@hemingstone.com
<http://www.hemingstone.com>

BRANCH OFFICE IN CANADA

TEL:1-905-629-2077, 1-905-206-0080
FAX:1-905-624-4695
E-Mail:bettychou@rogers.com